

MATERIAL SAFETY DATA SHEET

Page 1 of 3

REMINGTON ARMS COMPANY, INC.
870 REMINGTON DRIVE
MADISON, NC 27025-0700

DATE: April 19, 2010

TELEPHONE NUMBERS:

Product Info - 336/548-8700 or 800/243-9700

Emergency - CHEMTREC 800/424-9300

HMIS RATING: N/L

NFPA RATING: N/L

SECTION I - PRODUCT IDENTIFICATION

FORMULA NUMBER: #U1987
PRODUCT NUMBER: #18359 - 2 ounce; #18397 - 4 ounce
PRODUCT NAME: **Remington 40-X™ Bore Cleaner**
PRODUCT CLASS: Polishing Compound, Non-Aerosol

SECTION II - HAZARDOUS INGREDIENTS

INGREDIENT	CAS#	% WT.	OCCUPATIONAL EXPOSURE LIMITS		VAPOR PRESSURE	
			TLV	PEL	MM	@ °C
PETROLUUM DISTILLATES						
Contains natural earth in a complex mixture of saponified animal and mineral oils.						

SECTION III - PHYSICAL DATA

BOILING POINT: 165° F
VAPOR PRESSURE (VISCOSITY@100° F, astm D 88): 120.3 ssu
VAPOR DENSITY (VISCOSITY@100° F, astm D-2161): 25.2 cst
APPEARANCE: Reddish brown, slight oil odor

SPECIFIC GRAVITY (H₂O=1): 0.0380
MELTING POINT (astm D 97): 0
EVAPORATION RATE: N/L
SOLUBILITY IN WATER: N/L

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

FLASH POINT (PM Flash): 186° F CC (astm D 93)

FLAMMABLE LIMITS: N/A
LEL: N/A
UEL: N/A

Flammability Classification according to ASTM D-3065-77 and FHSA 1500.45: OSHA - COMBUSTIBLE CLASS II LIQUID

EXTINGUISHING MEDIA: Use carbon dioxide, dry powder or foam.

USUAL FIRE AND EXPLOSION HAZARDS: Keep container lid tightly closed. Isolate from heat and hot surfaces. Exposure to heat may cause bursting. Treat as oil or grease fire.

SPECIAL FIREFIGHTING PROCEDURES: Self-contained respiratory protection should be provided for firefighters fighting flames in buildings or confined areas. Storage containers exposed to fire should be kept cool with water spray to prevent pressure build-up.

SECTION VIII - SPECIAL PROTECTION INFORMATION

RESPIRATORY PROTECTION: For OSHA controlled work place, use only with adequate ventilation under engineered air control systems designed to provide maximum appropriate TLV. For occasional use where engineered air control is not feasible, use NIOSH approved respirators. For occasional consumer use, use only with adequate fresh air ventilation.

VENTILATION: Adequate ventilation must be provided. See respiratory protection above.

PROTECTIVE GLOVES: Use impermeable gloves to prevent skin irritation.

EYE PROTECTION: Safety glasses, chemical goggles and/or face shields are recommended to safeguard against potential eye contact, irritation, or injury.

OTHER PROTECTIVE EQUIPMENT: Usually none required.

HYGIENIC PRACTICES: Wash hands thoroughly after use. Before reuse, thoroughly clean any clothing or protective equipment which has been contaminated by prior use.

SECTION IX - SPECIAL PRECAUTIONS

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE: Do not store near flames or at elevated temperatures.

OTHER PRECAUTIONS: Read carefully all cautions and directions on product label before use. Since empty container retains residue, follow all label warning even after container is empty. Dispose of empty container according to local regulations.

NOTE: THE INFORMATION CONTAINED HEREIN IS FURNISHED WITHOUT WARRANTY OF ANY KIND. EMPLOYERS SHOULD USE THIS INFORMATION ONLY AS A SUPPLEMENT TO OTHER INFORMATION GATHERED BY THEM AND MUST MAKE INDEPENDENT DETERMINATION OF SUITABILITY AND COMPLETENESS OF INFORMATION FROM ALL SOURCES TO ASSURE PROPER USE OF THESE MATERIALS AND THE SAFETY AND HEALTH OF EMPLOYEES. ANY USE OF THIS INFORMATION MUST BE DETERMINED BY THE USER TO BE IN ACCORDANCE WITH APPLICABLE FEDERAL, STATE, AND LOCAL LAWS AND REGULATIONS.